

// Retail Price List & Product Info Guide



ALTA
WINDOW FASHIONS
design simplified

ALUMINUM BLINDS

Pricing effective January 24, 2022 and supersedes all previous pricing.
Subject to change by Alta Window Fashions.

SUMMARY OF REVISIONS

TABLE OF CONTENTS

Features And Options

- Color Chart. 2

Pricing Information

- Price Chart and Option Charges. 3-6

Product Information

- Controls. 7
- Cord and Ladder Specifications. 7
- Mounting Requirements. 7
- Tilt Wand Lengths. 7
- Ladder Placement Chart 7
- Stack-Up Chart. 7
- Offset Stacking Chart 7
- Product Specifications. 8-10
- Cordless Lift & Lock™ Bottomrail Color Chart. 11

Product Components Guide – product components pages are now featured in a separate guide for quick reference. [Click here to view or go to \[pricing.altawindowfashions.com/books/nhok\]\(http://pricing.altawindowfashions.com/books/nhok\) in your browser.](#)

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

COLOR CHART

COLOR NAME	Deluxe Collection	Traditional Collection		Value Collection	Basic Collection	Macro Collection
	1" .008 GAUGE	1" .006 GAUGE	1" .008 GAUGE	1" .006 GAUGE	1" .006 GAUGE	2" .008 GAUGE
ALABASTER	D8002	T6002	T8002	V6002	B6002	M2002
ANTIQUE	D8973	T6973	T8973		B6973	M2973
ASH	D8913					
BEIGE	D8186	T6186	T8186		B6186	M2186
BISCUIT	D8315					
BISQUE	D8269	T6269	T8269		B6269	M2269
BLACK	D8048	T6048	T8048		B6048	M2048
BLACK PERFORATED	D8048P		T8048P			
BRIGHT ALUMINUM	D8190	T6190	T8190		B6190	M2190
BRUSHED ALUMINUM	D8065	T6065	T8065	V6065	B6065	
BRUSHED ALUMINUM PERFORATED	D8065P		T8065P			
BRUSHED NICKEL TEXTURE	D8262		T8262			
CANVAS	D8830	T6830	T8830		B6830	M2830
CHALK WHITE	D8885	T6885	T8885		B6885	M2885
CHAR BROWN	D8064	T6064	T8064	V6064	B6064	M2064
CHAR BROWN MATTE	D8254					
CLAY	D8180	T6180	T8180		B6180	
COBBLESTONE	D8318	T6318	T8318		B6318	
COUNTRY BEIGE	D8319					
EGGSHELL	D8173				B6173	M2173
EVENING SNOW	D8385					
FAWN	D8205	T6205	T8205		B6205	M2205
FOREST	D8413				B6413	
GRAPHITE	D8983					
GRAYSTONE	D8748	T6748	T8748		B6748	M2748
KAOLIN PEARL	D8711	T6711	T8711		B6711	
LIGHT CAFFE	D8914					
LINEN	D8270				B6270	M2270
MERCURY	D8276				B6276	
OPAL	D8001	T6001	T8001		B6001	
PARCHMENT	D8402					
PEARL	D8974	T6974	T8974		B6974	M2974
PEWTER GRAY	D8405				B6405	
PLASTER	D8127	T6127	T8127	V6127	B6127	
PUMICE	D8203					
PURE WHITE	D8125	T6125	T8125	V6125	B6125	M2125
QUARTZ	D8018	T6018	T8018		B6018	M2018
RIVER LOG	D8917					
SEASHELL	D8795	T6795	T8795		B6795	
SIERRA	D8820	T6820	T8820		B6820	
SNOW GLOSS	D8110	T6110	T8110	V6110	B6110	M2110
SNOW GLOSS PERFORATED	D8110P		T8110P			
SPRIG	D8919					
TALC	D8981				B6981	
TUSK	D8268	T6268	T8268		B6268	
VANILLA	D8350	T6350	T8350		B6350	M2350

// Aluminum Blinds – Traditional Routes



- Value 1" (V6)
- Basic 1" (B6)

ORDERING KEY	
Style	Code
1"	B6+Color #
1"	V6+Color #

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"
HEIGHT TO:																		
42"	\$80	95	97	102	106	128	130	136	138	148	170	174	190	202	230	259	288	307
48"	82	95	99	104	110	130	138	143	148	156	176	180	197	212	239	272	299	324
54"	82	99	102	106	113	136	138	146	150	156	178	182	200	214	246	277	305	332
60"	86	99	104	108	119	138	146	148	154	160	180	190	204	226	250	281	314	338
66"	93	106	110	119	126	148	154	156	160	170	192	200	214	236	263	294	329	356
72"	95	108	113	121	128	150	156	160	165	174	197	202	222	239	268	303	336	366
78"	97	110	119	126	135	156	160	165	172	178	202	208	230	248	280	314	344	378
84"	97	113	121	126	136	158	162	170	176	182	206	214	236	258	283	321	356	388
90"	99	119	124	128	138	160	170	174	178	190	212	222	239	261	292	329	363	395
96"	99	119	126	130	143	162	172	176	180	192	214	228	246	266	299	336	368	405
102"	99	121	128	135	146	165	174	178	187	197	222	230	250	272	305	341	380	414
108"	102	124	128	136	148	172	176	182	190	200	228	236	258	277	312	349	388	424
114"	102	124	130	138	150	174	180	187	196	204	234	239	261	283	321	358	395	434
120"	104	126	135	143	154	176	182	190	197	208	238	246	266	290	327	363	405	442
126"	104	128	136	146	156	178	187	196	202	212	239	250	272	294	334	370	412	447

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	No Returns	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE	OPTIONS: NO EXTRA CHARGE
<ul style="list-style-type: none"> • Cordless Lift & Lock..... add \$92 each 	<ul style="list-style-type: none"> • 2 On 1 Headrail price as separate blinds • Controls – either LR, RL or grouped (Standard only) • Hold-Down Brackets (not available with Cordless Lift & Lock) • Extension Brackets • Spacer Blocks • Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) • Special Wand and Cord Length

SIZE SPECIFICATIONS - Value .006 Gauge and Basic .006 Gauge		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	120"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	

ORDERING KEY	
Style	Code
1" .006 Gauge	T6+Color #

• Traditional 1" Aluminum Blinds with 2-Slat Channel Valance .006 Gauge (T6)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"	
HEIGHT TO:																			
42"	\$136	139	146	153	161	170	176	182	194	206	216	223	257	326	349	373	393	413	
48"	137	142	150	158	167	172	178	185	198	213	220	228	263	335	357	385	407	429	
54"	139	146	153	161	170	176	184	196	206	218	228	239	270	347	369	396	424	443	
60"	142	150	158	164	172	180	189	202	211	223	235	242	281	356	381	407	434	456	
66"	145	152	160	169	176	184	194	206	215	228	240	250	286	365	391	418	448	470	
72"	152	160	167	174	182	194	204	213	223	239	250	261	299	380	405	437	461	489	
78"	180	185	198	211	223	235	242	255	269	291	303	315	361	388	415	450	476	502	
84"	189	198	207	218	230	242	255	264	281	301	315	327	373	403	434	465	494	521	
90"	194	204	213	223	237	248	259	270	286	307	323	337	383	411	446	476	505	535	
96"	196	206	215	224	240	252	263	278	294	313	329	345	389	424	454	489	521	546	
102"	198	207	218	228	242	257	269	283	299	321	337	351	398	434	465	500	532	560	
108"	204	213	220	235	248	261	272	291	305	326	345	357	407	443	473	514	544	576	
114"	206	215	224	237	252	264	281	294	310	332	351	367	415	451	483	524	557	589	
120"	207	216	226	240	257	270	283	299	313	339	357	373	426	459	494	535	567	600	
126"	211	218	228	242	261	277	291	303	321	347	365	381	434	470	505	544	581	614	

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	2-1/8"	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE
• Cordless Lift & Lock..... add \$92 each

OPTIONS: NO EXTRA CHARGE
<ul style="list-style-type: none"> • 2 On 1 Headrail price as separate blinds • Controls – either LR, RL or grouped (Standard only) • Hold-Down Brackets (not available with Cordless Lift & Lock) • Extension Brackets • Spacer Blocks • Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) • Special Wand and Cord Length

SIZE SPECIFICATIONS - Traditional .006 Gauge		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	120"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	

// Aluminum Blinds – Traditional Routes



ORDERING KEY	
Style	Code
1"	D8+Color #
1" .008 Gauge	T8+Color #

- Deluxe 1" Aluminum Blinds with Traditional Routes (D8)
- Traditional 1" Aluminum Blinds with 2-Slat Channel Valance .008 Gauge (T8)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"
HEIGHT TO:																		
42"	\$150	154	158	165	174	180	187	194	197	212	228	236	244	280	360	383	412	434
48"	152	156	162	172	178	184	192	197	204	216	236	244	250	288	378	400	427	454
54"	156	162	168	176	182	192	197	204	216	226	241	255	261	300	392	416	447	476
60"	158	165	174	180	187	196	202	214	222	234	250	261	272	312	405	432	467	495
66"	162	172	176	182	190	200	212	222	228	239	259	272	281	322	422	447	484	513
72"	168	176	180	187	196	204	219	228	236	246	268	281	292	332	434	467	500	542
78"	204	219	226	236	246	259	272	283	294	310	336	354	366	420	449	480	524	561
84"	214	222	230	239	248	268	280	288	303	318	341	360	378	427	462	493	542	576
90"	222	230	239	248	261	277	292	305	318	332	360	380	395	447	484	520	564	598
96"	226	236	244	255	268	283	300	312	324	340	370	388	403	462	500	537	581	618
102"	228	238	246	259	274	288	305	321	332	349	380	400	416	473	515	552	596	637
108"	234	241	250	263	280	296	312	327	338	358	388	407	425	491	530	568	613	657
114"	236	244	255	270	283	305	322	336	351	376	403	427	445	513	559	596	646	691
120"	238	248	259	274	292	310	329	341	358	382	414	438	454	526	569	613	664	713
126"	241	250	268	280	296	321	336	351	366	392	425	447	476	542	588	633	684	732

Finished Dimensions	Outside Mount				Inside Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
Traditional 1" Blind	Ordered Width	As Ordered		2-1/8"	-1/2"	Order Height	-1/2"
Deluxe 1" Blind	Ordered Width	As Ordered		n/a	-1/2"	Order Height	-1/2"

OPTIONS: EXTRA CHARGE
• Cordless Lift & Lock..... add \$92 each
• Deluxe 1" with LightsOut..... add 10%

OPTIONS: NO EXTRA CHARGE
• 2 On 1 Headrail price as separate blinds
• Controls – either LR, RL or grouped (Standard only)
• Hold-Down Brackets (not available with Cordless Lift & Lock)
• Extension Brackets
• Spacer Blocks
• Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock)
• Special Wand and Cord Length

SIZE SPECIFICATIONS - Traditional .008 Gauge and Deluxe .008 Gauge		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	120"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	

// Aluminum Blinds – Traditional Routes or LightsOut



ORDERING KEY	
Style	Code
2"	M2+Color #

• Macro 2" with Channel Valance (M2)

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"	
HEIGHT TO:																			
42"	\$142	169	175	183	194	204	215	227	235	247	260	268	291	400	425	478	503	560	
48"	145	171	180	189	203	214	219	235	245	258	266	275	304	412	443	494	524	581	
54"	148	175	183	192	212	219	227	240	250	266	275	291	312	429	458	515	545	607	
60"	148	180	189	196	215	224	231	249	260	272	284	296	319	445	471	527	560	620	
66"	157	185	194	212	224	231	240	261	270	284	296	312	335	460	492	553	585	647	
72"	158	189	203	214	227	237	249	266	273	293	306	318	341	473	504	566	601	663	
78"	203	245	260	270	291	306	318	339	354	373	389	409	443	494	530	591	627	693	
84"	206	249	263	275	296	312	324	350	365	383	402	422	453	509	545	610	645	712	
90"	206	250	268	283	304	316	333	356	370	391	411	427	460	522	560	622	660	732	
96"	215	263	275	295	316	333	350	377	389	412	434	457	491	558	593	665	707	781	
102"	217	268	284	299	322	339	360	383	400	425	446	469	501	570	614	688	730	801	
108"	219	272	291	310	329	345	366	391	411	434	457	478	515	583	630	700	745	824	
114"	224	275	295	314	337	356	373	400	422	446	469	491	527	599	643	720	768	845	
120"	227	283	304	319	343	365	383	412	429	457	480	501	543	614	660	735	784	868	
126"	229	289	310	327	352	373	389	422	443	469	491	515	558	630	679	757	805	887	

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
2" Aluminum Blind – Box Bracket	-1/4"	Ordered Height	Ordered Width	2-7/8"	-3/4"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE
• Cordless Lift & Lock..... add \$92 each

OPTIONS: NO EXTRA CHARGE
• 2 On 1 Headrail price as separate blinds
• Controls – either LR, RL or grouped (Standard only)
• Hold-Down Brackets
• Extension Brackets
• Spacer Blocks
• Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock)
• Special Wand and Cord Length

SIZE SPECIFICATIONS - 2" Macro, Traditional Routes		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	2"	2"
Minimum width (NET)	8"	10-1/2"
Minimum height	12"	12"
Maximum width of a single blind	120"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	

SIZE SPECIFICATIONS - 2" Macro, Routeless	
	Standard Cordlock
Slat width	2"
Minimum width (NET)	8"
Minimum height	12"
Maximum width of a single blind	120"
Maximum height	126"
Maximum width with two on one headrail	120"
Blind with tilter only – net width	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"
Blind with controls in any position – net width	18-1/8" or more

PRODUCT INFORMATION

TILT WAND

Clear wand. Wand length is standard, see chart below, or select one of the other lengths available and specify that length when ordering.*

All 1" Blinds

Wand Length	Blind Height
12"	12" to 22"
20"	22-1/8" to 37"
30"	37-1/8" to 52"
40"	52-1/8" to 67"
50"	67-1/8" to 82"
60"	82-1/8" to 126"

*Optional Lengths: 70", 78", 90"

2" Blinds

Wand Length**	Blind Height
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 60"
48"	60-1/8" to 75"
60"	75-1/8" to 90"
70"	90-1/8" to 105"

*Optional Lengths: 72" and 84"

** Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum tilt cord length is 6". For blinds under 15" in height, a tilt cord length override to at least 6" must be requested.

STACKING

Add the selected style to the Blind Stack

Headrail/Bottomrail	1" Blinds
Value/Basic	1-1/2"
Traditional	1-1/2"
Deluxe	2"
+	+
Each 12" of Blind Height	3/8"

Blind Height	2" Blinds (approx)
36"	4-1/2"
48"	4-3/4"
60"	5"
72"	5-1/4"
84"	5-1/2"
96"	5-3/4"
108"	6"
120"	6-1/4"
126"	6-1/2"

For Lift & Lock add an additional 3/4" to the total.

CORD AND LADDER

- Color coordinated with slats
- Standard lift cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum lift cord length is 6". For blinds under 15" in height, a lift cord length override to at least 6" must be requested.
- Lift cord features a color-coordinated cord connector that separates under pressure. It easily snaps together again.

MOUNTING REQUIREMENTS

	Inside (IB) Mount		Outside (OB) Mount
	Minimum Required Depth	Minimum Required Depth Flush Mount	Minimum Required Mounting Surface
Value/Basic 1"	7/8"	1-1/4"	5/8"
Traditional 1"	1-3/8"	2-1/4"	1-3/8"
Deluxe 1"	7/8"	1-3/4"	5/8"
Macro 2"	1-1/8"	3-3/8"	1-3/4"

Center Support Brackets – All Blinds	
Width	# of Brackets
48" - 84"	1
84-1/8" - 120"	2

LADDER PLACEMENT


The following charts show the number of ladders based on blind width.

1" Blinds	
Finished Width	# of Ladders
Up to 36"	2
36-1/8" to 60"	3
60-1/8" to 84"	4
84-1/8" to 108"	5
108-1/8" to 120"	6

2" Blinds	
Finished Width	# of Ladders
Up to 46-1/2"	2
46-5/8" to 80-1/2"	3
80-5/8" to 114-1/2"	4
114-5/8" to 120"	5

DELUXE 1" BLIND OFFSET STACKING

Length of Offset	Amount of Offset
12"	1/4"
24"	7/16"
36"	9/16"
48"	11/16"
60"	3/4"
72"	13/16"
84"	13/16"
96"	7/8"
108"	7/8"
120"	7/8"



PRODUCT INFORMATION

CONTROLS

All 1" Blinds (VAL6 / BAS6 / TRD 6 / TRD 8 / DEL 8)

Width (NET)	Single Blind	2 on 1 LEFT BLIND		2 on 1 RIGHT BLIND	
		WAND TILT	LIFT CORD	WAND TILT	LIFT CORD
Standard Cordlock					
8" to 10-3/8"	Center Tilt Only	C (only)	n/a	C (only)	n/a
10-1/2" to 18"	LR, RL	R (only)	L (only)	L (only)	R (only)
18-1/8" or more	LR, RL, Grouped	L or R	L (only)	L or R	R (only)
Lift & Lock					
10-1/2" to 12-3/8"	C (only)	C (only)	n/a	C (only)	n/a
12-1/2" or more	L or R	L or R	n/a	L or R	n/a

2" MACRO - MAC2

Width (NET)	Single Blind	2 on 1 LEFT BLIND - WAND TILT		2 on 1 RIGHT BLIND - WAND TILT		2 on 1 LEFT BLIND - CORD TILT		2 on 1 RIGHT BLIND - CORD TILT	
		WAND TILT	LIFT CORD	WAND TILT	LIFT CORD	CORD TILT	LIFT CORD	CORD TILT	LIFT CORD
Standard Cordlock									
8" to 10-3/8"	Center Tilt Only	C (only)	n/a	C (only)	n/a	N/A	N/A	N/A	N/A
10-1/2" to 18"	LR, RL	R (only)	L (only)	L (only)	R (only)	N/A	N/A	N/A	N/A
18-1/8" or more	LR, RL, Grouped	L or R	L (only)	L or R	R (only)	L (only)	L (only)	R (only)	R (only)
Lift & Lock									
10-1/2" to 12-3/8"	Center Tilt Only	C (only)	n/a	C (only)	n/a	C (only)	n/a	C (only)	n/a
12-1/2" or more	L or R	L or R	n/a	L or R	n/a	L (only)	n/a	R (only)	n/a

PRODUCT SPECIFICATIONS

FEATURES	Value	Basic	Traditional	
	1" .006 GAUGE	1" .006 GAUGE	1" .006 GAUGE	1" .008 GAUGE
# of Colors	6	31	25	29
Slat Gauge	0.006	0.006	0.006	0.008
Dust-Resistant Finish	Yes	Yes	Yes	Yes
Headrail Size	1" X 1"	1" X 1"	1" X 1-1/2"	1" X 1-1/2"
Headrail Gauge	0.024	0.024	0.024	0.024
Bottomrail - Standard	Lockseam	Lockseam	Lockseam	Lockseam
Bottomrail - Lift & Lock	The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail. Please refer to the Lift & Lock Bottomrail Color listing for the coordinating rail color.			
Lightsout Feature	N/A	N/A	N/A	N/A
Bracket Style	Box	Box	Box	Box
Cord Size	1.4 mm	1.4 mm	1.4 mm	1.4 mm
Ladder Spacing	23 mm	22 mm	22 mm	22 mm
Wand	Clear, Standard	Clear, Standard	Clear, Standard	Clear, Standard
Cord Tilter	N/A	N/A	N/A	N/A
Valance Style	2 Slats in Clips	2 Slats in Clips	2 Slat Channel Valance	2 Slat Channel Valance
Headrail End Stiffener	Yes	Yes	Yes	Yes
Cord Connector	Colored	Colored	Colored	Colored
OPTIONS				
Cordless Lift & Lock™	Yes	Yes	Yes	Yes
2 on 1 Headrail*	Yes	Yes	Yes	Yes
Control Positions (LR, RL, Grouped)	Yes	Yes	Yes	Yes
Extension Brackets	Yes	Yes	Yes	Yes
Hold-down Brackets - not available with 1" Cordless Lift & Lock	Yes	Yes	Yes	Yes
Spacer Blocks	Yes	Yes	Yes	Yes
Tile Cut-out - not available with Cordless Lift & Lock	Yes	Yes	Yes	Yes
SIZE SPECIFICATIONS				
Slat width	1"	1"	1"	1"
Standard Lift Cords				
Minimum width (NET)	8"	8"	8"	8"
Minimum height	6"	6"	6"	6"
Maximum width of a single blind	120"	120"	120"	120"
Maximum height	126"	126"	126"	126"
Maximum width with 2 on 1 headrail	120"	120"	120"	120"
Maximum width end mount	48"	48"	48"	48"
Blind with tilter only – net width	8" to 10-3/8"	8" to 10-3/8"	8" to 10-3/8"	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"	10-1/2" to 18"	10-1/2" to 18"	10-1/2" to 18"
Blind can have controls in any position – net width	18-1/8" to 120"	18-1/8" to 120"	18-1/8" to 120"	18-1/8" to 120"
Cordless Lift & Lock™				
Minimum width (NET)	10-1/2"	10-1/2"	10-1/2"	10-1/2"
Maximum width of a single blind	120"	120"	120"	120"
Minimum height	12"	12"	12"	12"
Maximum height	84"	84"	84"	84"
Maximum width Cordless Lift & Lock w/ 2 on 1	120"	120"	120"	120"
Maximum width end mount	N/A	N/A	N/A	N/A
Center tilt only – NET width	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"
Left or Right tilt only - NET width	12-1/2" or more	12-1/2" or more	12-1/2" or more	12-1/2" or more

* 2 Blinds On 1 Headrail – a crating surcharge may be assessed, see General Information section for shipping related surcharges

PRODUCT SPECIFICATIONS

FEATURES	Deluxe	Macro
	1" .008 GAUGE	2" .008 GAUGE
# of Colors	50	18
Slat Gauge	0.008	0.008
Dust Resistant Finish	Yes	Yes
Headrail Size	1-1/4" X 1-1/2"	2-1/4" X 1-1/2"
Headrail Gauge	0.024	0.024
Bottomrail - Standard	Lockseam	Lockseam
Bottomrail - Lift & Lock	The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail. Please refer to the Lift & Lock Bottomrail Color listing for the coordinating rail color.	
Lightsout Feature - not available with Cordless Lift & Lock	Available	Available
Bracket Style	Hidden	Box
Cord Size	1.4 mm	1.4 mm
Ladder Spacing	22 mm	42 mm
Wand Tilt	Clear, Standard	Clear, Standard
Valance Style	Built-in	Channel Valance
Headrail End Stiffener	n/a	Yes
Cord Connector	Colored	Colored
OPTIONS		
Cordless Lift & Lock™	Yes	Yes
2 1 Headrail*	Yes	Yes
Control Positions (LR, RL, Grouped)	Yes	Yes
Cord Tilt	N/A	Yes
Extension Brackets	Yes	Yes
Hold-down Brackets - not available with 1" Cordless Lift & Lock	Yes	Yes
Spacer Blocks	Yes	Yes
Tile Cut-out - not available with Cordless Lift & Lock	Yes	Yes
SIZE SPECIFICATIONS		
Slat width	1"	2"
Standard Lift Cords		
Minimum width (NET)	8"	8"
Minimum height	6"	12"
Maximum width of a single blind	120"	120"
Maximum height	126"	126"
Maximum width with 2 on 1 headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"	10-1/2" to 18"
Blind can have controls in any position – net width	18-1/8" to 120"	18-1/8" to 120"
Cordless Lift & Lock™		
Minimum width (NET)	10-1/2"	10-1/2"
Minimum height	12"	12"
Maximum width of a single blind	120"	120"
Maximum height	84"	84"
Maximum width 2 on 1 headrail	120"	120"
Center tilt only – NET width	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"
Left or Right tilt only - NET width	12-1/2" or more	12-1/2" or more

- 2 Blinds On 1 Headrail – a crating surcharge may be assessed, see General Information section for shipping related surcharges

CORDLESS LIFT & LOCK™ BOTTOMRAIL COLOR CHART



The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below. There are **more slat colors than available rail colors**, please review the rail colors listed below when ordering. Rail colors listed can be found in the Aluminum sample deck.

NOTE: Due to color availability in each size rail, there are cases where the 1" and 2" slats in the same color will have different color bottomrails.

COLOR NAME						All 1" Styles		All 2" Blinds		
	Deluxe Collection	Traditional Collection		Value Collection	Basic Collection	Cordless Lift & Lock Bottomrail		Macro Collection	Cordless Lift & Lock Bottomrail	
	1" .008 GAUGE	1" .006 GAUGE	1" .008 GAUGE	1" .006 GAUGE	1" .006 GAUGE	Color	Color #	2" .008 GAUGE	Color	Color #
Alabaster	D8002	T6002	T8002	V6002	B6002	Alabaster	002	M2002	Alabaster	002
Antique	D8973	T6973	T8973		B6973	Alabaster	002	M2973	Antique	973
Ash	D8913					Mercury	276			
Beige	D8186	T6186	T8186		B6186	Alabaster	002	M2186	Alabaster	002
Biscuit	D8315					Alabaster	002			
Bisque	D8269	T6269	T8269		B6269	Plaster	127	M2269	Antique	973
Black	D8048	T6048	T8048		B6048	Black	048	M2048	Black	048
Black Perforated	D8048P		T8048P			Black	048			
Bright Aluminum	D8190	T6190	T8190		B6190	Brushed Aluminum	065	M2190	Brushed Aluminum	065
Brushed Aluminum	D8065	T6065	T8065	V6065	B6065	Brushed Aluminum	065			
Brushed Aluminum Perforated	D8065P		T8065P			Brushed Aluminum	065			
Brushed Nickel Texture	D8262		T8262			Brushed Aluminum	065			
Canvas	D8830	T6830	T8830		B6830	Alabaster	002	M2830	Alabaster	002
Chalk White	D8885	T6885	T8885		B6885	Pure White	125	M2885	Snow Gloss	110
Char Brown	D8064	T6064	T8064	V6064	B6064	Char Brown	064	M2064	Char Brown	064
Char Brown Matte	D8254					Char Brown	064			
Clay	D8180	T6180	T8180		B6180	Graystone	748			
Cobblestone	D8318	T6318	T8318		B6318	Graystone	748			
Country Beige	D8319					Plaster	127			
Eggshell	D8173				B6173	Alabaster	002	M2173	Alabaster	002
Evening Snow	D8385					Plaster	127			
Fawn	D8205	T6205	T8205		B6205	Alabaster	002	M2205	Alabaster	002
Forest	D8413	T6413	T8413		B6413	Alabaster	002			
Graphite	D8983					Black	048			
Graystone	D8748	T6748	T8748		B6748	Graystone	748	M2748	Brushed Aluminum	065
Kaolin Pearl	D8711	T6711	T8711		B6711	Plaster	127			
Light Caffe	D8914					Mercury	276			
Linen	D8270				B6270	Plaster	127	M2270	Antique	973
Mercury	D8276				B6276	Mercury	276			
Opal	D8001	T6001	T8001		B6001	Pure White	125			
Parchment	D8402					Alabaster	002			
Pearl	D8974	T6974	T8974		B6974	Plaster	127	M2974	Pearl	974
Pewter Gray	D8405				B6405	Mercury	276			
Plaster	D8127	T6127	T8127	V6127	B6127	Plaster	127			
Pumice	D8203					Alabaster	002			
Pure White	D8125	T6125	T8125	V6125	B6125	Pure White	125	M2125	Snow Gloss	110
Quartz	D8018	T6018	T8018		B6018	Snow Gloss	110	M2018	Snow Gloss	110
River Log	D8917					Char Brown	064			
Seashell	D8795	T6795	T8795		B6795	Pure White	125			
Sierra	D8820	T6820	T8820		B6820	Black	048			
Snow Gloss	D8110	T6110	T8110	V6110	B6110	Snow Gloss	110	M2110	Snow Gloss	110
Snow Gloss Perforated	D8110P		T8110P			Snow Gloss	110			
Sprig	D8919					Alabaster	002			
Talc	D8981				B6981	Pure White	125			
Tusk	D8268	T6268	T8268		B6268	Plaster	127			
Vanilla	D8350	T6350	T8350		B6350	Alabaster	002	M2350	Alabaster	002

NOTE: Bottomrail colors are pre-selected. Hardware color override is not available.