

## // Retail Price List & Product Info Guide



**ALTA**  
WINDOW FASHIONS  
*design simplified*

# ALUMINUM BLINDS

Pricing effective August 1, 2022 and supersedes all previous pricing.  
Subject to change by Alta Window Fashions.

---

## SUMMARY OF REVISIONS

---

---

# TABLE OF CONTENTS

---

## Features And Options

- Color Chart. . . . . 2

## Pricing Information

- Price Chart and Option Charges. . . . . 3-6

## Product Information

- Controls. . . . . 7
- Cord and Ladder Specifications. . . . . 7
- Mounting Requirements. . . . . 7
- Tilt Wand Lengths. . . . . 7
- Ladder Placement Chart . . . . . 7
- Stack-Up Chart. . . . . 7
- Offset Stacking Chart. . . . . 7
- Product Specifications. . . . . 8-10
- Cordless Lift & Lock™ Bottomrail Color Chart. . . . . 11

**Product Components Guide** – product components pages are now featured in a separate guide for quick reference. [Click here to view or go to pricing.altawindowfashions.com/books/nhok in your browser.](#)

### **Oversize Common Carrier Delivery**

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

## COLOR CHART

COLOR NAME	Deluxe Collection	Traditional Collection		Value Collection	Basic Collection	Macro Collection
	1" .008 GAUGE	1" .006 GAUGE	1" .008 GAUGE	1" .006 GAUGE	1" .006 GAUGE	2" .008 GAUGE
ALABASTER	D8002	T6002	T8002	V6002	B6002	M2002
ANTIQUÉ	D8973	T6973	T8973		B6973	M2973
ASH	D8913					
BEIGE	D8186	T6186	T8186		B6186	M2186
BISCUIT	D8315					
BISQUE	D8269	T6269	T8269		B6269	M2269
BLACK	D8048	T6048	T8048		B6048	M2048
BLACK PERFORATED	D8048P		T8048P			
BRIGHT ALUMINUM	D8190	T6190	T8190		B6190	M2190
BRUSHED ALUMINUM	D8065	T6065	T8065	V6065	B6065	
BRUSHED ALUMINUM PERFORATED	D8065P		T8065P			
BRUSHED NICKEL TEXTURE	D8262		T8262			
CANVAS	D8830	T6830	T8830		B6830	M2830
CHALK WHITE	D8885	T6885	T8885		B6885	M2885
CHAR BROWN	D8064	T6064	T8064	V6064	B6064	M2064
CHAR BROWN MATTE	D8254					
CLAY	D8180	T6180	T8180		B6180	
COBBLESTONE	D8318	T6318	T8318		B6318	
EGGSHELL	D8173				B6173	M2173
EVENING SNOW	D8385					
FAWN	D8205	T6205	T8205		B6205	M2205
FOREST	D8413				B6413	
GRAPHITE	D8983					
GRAYSTONE	D8748	T6748	T8748		B6748	M2748
KAOLIN PEARL	D8711	T6711	T8711		B6711	
LIGHT CAFFE	D8914					
LINEN	D8270				B6270	M2270
MERCURY	D8276				B6276	
OPAL	D8001	T6001	T8001		B6001	
PARCHMENT	D8402					
PEARL	D8974	T6974	T8974		B6974	M2974
PEWTER GRAY	D8405				B6405	
PLASTER	D8127	T6127	T8127	V6127	B6127	
PUMICE	D8203					
PURE WHITE	D8125	T6125	T8125	V6125	B6125	M2125
QUARTZ	D8018	T6018	T8018		B6018	M2018
RIVER LOG	D8917					
SEASHELL	D8795	T6795	T8795		B6795	
SIERRA	D8820	T6820	T8820		B6820	
SNOW GLOSS	D8110	T6110	T8110	V6110	B6110	M2110
SNOW GLOSS PERFORATED	D8110P		T8110P			
SPRIG	D8919					
TALC	D8981				B6981	
TUSK	D8268	T6268	T8268		B6268	
VANILLA	D8350	T6350	T8350		B6350	M2350

# // Aluminum Blinds – Traditional Routes



- Value 1" (V6)
- Basic 1" (B6)

ORDERING KEY	
Style	Code
1"	B6+Color #
1"	V6+Color #

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"
HEIGHT TO:																		
42"	\$85	101	103	109	113	136	138	145	147	157	181	185	202	215	244	275	306	326
48"	87	101	105	111	117	138	147	152	157	166	187	191	209	225	254	289	317	344
54"	87	105	109	113	120	145	147	155	159	166	189	193	212	227	261	294	324	352
60"	92	105	111	115	127	147	155	157	164	170	191	202	217	240	265	298	333	359
66"	99	113	117	127	134	157	164	166	170	181	204	212	227	251	279	312	349	378
72"	101	115	120	129	136	159	166	170	175	185	209	215	236	254	285	322	357	388
78"	103	117	127	134	144	166	170	175	183	189	215	221	244	263	297	333	365	401
84"	103	120	129	134	145	168	172	181	187	193	219	227	251	274	300	341	378	412
90"	105	127	132	136	147	170	181	185	189	202	225	236	254	277	310	349	385	419
96"	105	127	134	138	152	172	183	187	191	204	227	242	261	282	317	357	391	430
102"	105	129	136	144	155	175	185	189	199	209	236	244	265	289	324	362	403	439
108"	109	132	136	145	157	183	187	193	202	212	242	251	274	294	331	370	412	450
114"	109	132	138	147	159	185	191	199	208	217	249	254	277	300	341	380	419	461
120"	111	134	144	152	164	187	193	202	209	221	253	261	282	308	347	385	430	469
126"	111	136	145	155	166	189	199	208	215	225	254	265	289	312	355	393	437	474

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	No Returns	-1/2"	Ordered Height	-1/2"

**NOTE:** Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE	OPTIONS: NO EXTRA CHARGE
<ul style="list-style-type: none"> <li>• Cordless Lift &amp; Lock..... add \$92 each</li> </ul>	<ul style="list-style-type: none"> <li>• 2 On 1 Headrail price as separate blinds</li> <li>• Controls – either LR, RL or grouped (Standard only)</li> <li>• Hold-Down Brackets (not available with Cordless Lift &amp; Lock)</li> <li>• Extension Brackets</li> <li>• Spacer Blocks</li> <li>• Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift &amp; Lock)</li> <li>• Special Wand and Cord Length</li> </ul>

SIZE SPECIFICATIONS - Value .006 Gauge and Basic .006 Gauge		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum <b>width</b> (NET)	8"	10-1/2"
Minimum <b>height</b>	6"	12"
Maximum <b>width</b> of a single blind	120"	120"
Maximum <b>height</b>	126"	84"
Maximum width with two on one headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" <b>Center tilt only</b> 12-1/2" or greater <b>L or R tilt only</b>
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	

ORDERING KEY	
Style	Code
1" .006 Gauge	T6+Color #

• Traditional 1" Aluminum Blinds with 2-Slat Channel Valance .006 Gauge (T6)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"	
<b>HEIGHT TO:</b>																			
42"	\$145	148	155	163	171	181	187	193	206	219	229	237	273	346	370	396	417	438	
48"	146	151	159	168	178	183	189	197	210	226	234	242	279	356	379	409	432	455	
54"	148	155	163	171	181	187	196	208	219	232	242	254	287	368	392	420	450	470	
60"	151	159	168	174	183	191	201	215	224	237	250	257	298	378	404	432	461	484	
66"	154	162	170	180	187	196	206	219	228	242	255	265	304	387	415	444	475	499	
72"	162	170	178	185	193	206	217	226	237	254	265	277	317	403	430	464	489	519	
78"	191	197	210	224	237	250	257	271	286	309	322	334	383	412	440	477	505	533	
84"	201	210	220	232	244	257	271	280	298	320	334	347	396	428	461	493	524	553	
90"	206	217	226	237	252	263	275	287	304	326	343	358	406	436	473	505	536	568	
96"	208	219	228	238	255	268	279	295	312	332	349	366	413	450	482	519	553	579	
102"	210	220	232	242	257	273	286	300	317	341	358	373	422	461	493	530	564	594	
108"	217	226	234	250	263	277	289	309	324	346	366	379	432	470	502	545	577	611	
114"	219	228	238	252	268	280	298	312	329	352	373	390	440	479	512	556	591	625	
120"	220	229	240	255	273	287	300	317	332	360	379	396	452	487	524	568	602	636	
126"	224	232	242	257	277	294	309	322	341	368	387	404	461	499	536	577	616	651	

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	2-1/8"	-1/2"	Ordered Height	-1/2"

**NOTE:** Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE
• Cordless Lift & Lock..... add \$92 each

OPTIONS: NO EXTRA CHARGE
<ul style="list-style-type: none"> <li>• 2 On 1 Headrail price as separate blinds</li> <li>• Controls – either LR, RL or grouped (Standard only)</li> <li>• Hold-Down Brackets (not available with Cordless Lift &amp; Lock)</li> <li>• Extension Brackets</li> <li>• Spacer Blocks</li> <li>• Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift &amp; Lock)</li> <li>• Special Wand and Cord Length</li> </ul>

SIZE SPECIFICATIONS - Traditional .006 Gauge		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	120"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	

# // Aluminum Blinds – Traditional Routes



ORDERING KEY	
Style	Code
1"	D8+Color #
1" .008 Gauge	T8+Color #

- Deluxe 1" Aluminum Blinds with Traditional Routes (D8)
- Traditional 1" Aluminum Blinds with 2-Slat Channel Valance .008 Gauge (T8)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"
<b>HEIGHT TO:</b>																		
42"	\$159	164	168	175	185	191	199	206	209	225	242	251	259	297	382	406	437	461
48"	162	166	172	183	189	196	204	209	217	229	251	259	265	306	401	424	453	482
54"	166	172	179	187	193	204	209	217	229	240	256	271	277	318	416	441	474	505
60"	168	175	185	191	199	208	215	227	236	249	265	277	289	331	430	458	496	525
66"	172	183	187	193	202	212	225	236	242	254	275	289	298	342	448	474	514	544
72"	179	187	191	199	208	217	233	242	251	261	285	298	310	352	461	496	530	575
78"	217	233	240	251	261	275	289	300	312	329	357	376	388	446	476	509	556	595
84"	227	236	244	254	263	285	297	306	322	338	362	382	401	453	490	523	575	611
90"	236	244	254	263	277	294	310	324	338	352	382	403	419	474	514	552	598	634
96"	240	251	259	271	285	300	318	331	344	361	393	412	428	490	530	570	616	656
102"	242	253	261	275	291	306	324	341	352	370	403	424	441	502	546	586	632	676
108"	249	256	265	279	297	314	331	347	359	380	412	432	451	521	562	603	650	697
114"	251	259	271	287	300	324	342	357	373	399	428	453	472	544	593	632	685	733
120"	253	263	275	291	310	329	349	362	380	405	439	465	482	558	604	650	704	756
126"	256	265	285	297	314	341	357	373	388	416	451	474	505	575	624	671	726	776

Finished Dimensions	Outside Mount			Inside Mount			
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
Traditional 1" Blind	Ordered Width	As Ordered		2-1/8"	-1/2"	Order Height	-1/2"
Deluxe 1" Blind	Ordered Width	As Ordered		n/a	-1/2"	Order Height	-1/2"

OPTIONS: EXTRA CHARGE
• Cordless Lift & Lock..... add \$92 each
• Deluxe 1" with LightsOut..... add 10%

OPTIONS: NO EXTRA CHARGE
• 2 On 1 Headrail price as separate blinds
• Controls – either LR, RL or grouped (Standard only)
• Hold-Down Brackets (not available with Cordless Lift & Lock)
• Extension Brackets
• Spacer Blocks
• Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock)
• Special Wand and Cord Length

SIZE SPECIFICATIONS - Traditional .008 Gauge and Deluxe .008 Gauge		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	120"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	

# // Aluminum Blinds – Traditional Routes or LightsOut



ORDERING KEY	
Style	Code
2"	M2+Color #

• Macro 2" with Channel Valance (M2)

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"	
<b>HEIGHT TO:</b>																			
42"	\$151	180	186	194	206	217	228	241	250	262	276	285	309	424	451	507	534	594	
48"	154	182	191	201	216	227	233	250	260	274	282	292	323	437	470	524	556	616	
54"	157	186	194	204	225	233	241	255	265	282	292	309	331	455	486	546	578	644	
60"	157	191	201	208	228	238	245	264	276	289	302	314	339	472	500	559	594	658	
66"	167	197	206	225	238	245	255	277	287	302	314	331	356	488	522	587	621	686	
72"	168	201	216	227	241	252	264	282	290	311	325	338	362	502	535	600	638	703	
78"	216	260	276	287	309	325	338	360	376	396	413	434	470	524	562	627	665	735	
84"	219	264	279	292	314	331	344	371	387	406	427	448	481	540	578	647	684	755	
90"	219	265	285	300	323	335	353	378	393	415	436	453	488	554	594	660	700	776	
96"	228	279	292	313	335	353	371	400	413	437	461	485	521	592	629	705	750	828	
102"	231	285	302	317	342	360	382	406	424	451	473	498	532	605	651	730	774	850	
108"	233	289	309	329	349	366	388	415	436	461	485	507	546	618	668	742	790	874	
114"	238	292	313	333	358	378	396	424	448	473	498	521	559	635	682	764	815	896	
120"	241	300	323	339	364	387	406	437	455	485	509	532	576	651	700	780	832	921	
126"	243	307	329	347	374	396	413	448	470	498	521	546	592	668	720	803	854	941	

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
2" Aluminum Blind – Box Bracket	-1/4"	Ordered Height	Ordered Width	2-7/8"	-3/4"	Ordered Height	-1/2"

**NOTE:** Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE
• Cordless Lift & Lock..... add \$92 each

OPTIONS: NO EXTRA CHARGE
• 2 On 1 Headrail price as separate blinds
• Controls – either LR, RL or grouped (Standard only)
• Hold-Down Brackets
• Extension Brackets
• Spacer Blocks
• Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock)
• Special Wand and Cord Length

SIZE SPECIFICATIONS - 2" Macro, Traditional Routes		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	2"	2"
Minimum width (NET)	8"	10-1/2"
Minimum height	12"	12"
Maximum width of a single blind	120"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	

SIZE SPECIFICATIONS - 2" Macro, Routeless	
	Standard Cordlock
Slat width	2"
Minimum width (NET)	8"
Minimum height	12"
Maximum width of a single blind	120"
Maximum height	126"
Maximum width with two on one headrail	120"
Blind with tilter only – net width	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"
Blind with controls in any position – net width	18-1/8" or more



# PRODUCT INFORMATION

## TILT WAND

Clear wand. Wand length is standard, see chart below, or select one of the other lengths available and specify that length when ordering.\*

### All 1" Blinds

Wand Length	Blind Height
12"	12" to 22"
20"	22-1/8" to 37"
30"	37-1/8" to 52"
40"	52-1/8" to 67"
50"	67-1/8" to 82"
60"	82-1/8" to 126"

\*Optional Lengths: 70", 78", 90"

### 2" Blinds

Wand Length**	Blind Height
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 60"
48"	60-1/8" to 75"
60"	75-1/8" to 90"
70"	90-1/8" to 105"

\*Optional Lengths: 72" and 84"

\*\* Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum tilt cord length is 6". For blinds under 15" in height, a tilt cord length override to at least 6" must be requested.

## STACKING

Add the selected style to the Blind Stack

Headrail/Bottomrail	1" Blinds
Value/Basic	1-1/2"
Traditional	1-1/2"
Deluxe	2"
+	+
Each 12" of Blind Height	3/8"

Blind Height	2" Blinds (approx)
36"	4-1/2"
48"	4-3/4"
60"	5"
72"	5-1/4"
84"	5-1/2"
96"	5-3/4"
108"	6"
120"	6-1/4"
126"	6-1/2"

For Lift & Lock add an additional 3/4" to the total.

## CORD AND LADDER

- Color coordinated with slats
- Standard lift cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum lift cord length is 6". For blinds under 15" in height, a lift cord length override to at least 6" must be requested.
- Lift cord features a color-coordinated cord connector that separates under pressure. It easily snaps together again.

## MOUNTING REQUIREMENTS

	Inside (IB) Mount		Outside (OB) Mount
	Minimum Required Depth	Minimum Required Depth Flush Mount	Minimum Required Mounting Surface
Value/Basic 1"	7/8"	1-1/4"	5/8"
Traditional 1"	1-3/8"	2-1/4"	1-3/8"
Deluxe 1"	7/8"	1-3/4"	5/8"
Macro 2"	1-1/8"	3-3/8"	1-3/4"

Center Support Brackets – All Blinds	
Width	# of Brackets
48" - 84"	1
84-1/8" - 120"	2

## LADDER PLACEMENT


The following charts show the number of ladders based on blind width.

1" Blinds	
Finished Width	# of Ladders
Up to 36"	2
36-1/8" to 60"	3
60-1/8" to 84"	4
84-1/8" to 108"	5
108-1/8" to 120"	6

2" Blinds	
Finished Width	# of Ladders
Up to 46-1/2"	2
46-5/8" to 80-1/2"	3
80-5/8" to 114-1/2"	4
114-5/8" to 120"	5

## DELUXE 1" BLIND OFFSET STACKING

Length of Offset	Amount of Offset
12"	1/4"
24"	7/16"
36"	9/16"
48"	11/16"
60"	3/4"
72"	13/16"
84"	13/16"
96"	7/8"
108"	7/8"
120"	7/8"



# PRODUCT INFORMATION

## CONTROLS

### All 1" Blinds (VAL6 / BAS6 / TRD 6 / TRD 8 / DEL 8)

Width (NET)	Single Blind	2 on 1 LEFT BLIND		2 on 1 RIGHT BLIND	
		WAND TILT	LIFT CORD	WAND TILT	LIFT CORD
<b>Standard Cordlock</b>					
8" to 10-3/8"	Center Tilt Only	C (only)	n/a	C (only)	n/a
10-1/2" to 18"	LR, RL	R (only)	L (only)	L (only)	R (only)
18-1/8" or more	LR, RL, Grouped	L or R	L (only)	L or R	R (only)
<b>Lift &amp; Lock</b>					
10-1/2" to 12-3/8"	C (only)	C (only)	n/a	C (only)	n/a
12-1/2" or more	L or R	L or R	n/a	L or R	n/a

### 2" MACRO - MAC2

Width (NET)	Single Blind	2 on 1 LEFT BLIND - WAND TILT		2 on 1 RIGHT BLIND - WAND TILT		2 on 1 LEFT BLIND - CORD TILT		2 on 1 RIGHT BLIND - CORD TILT	
		WAND TILT	LIFT CORD	WAND TILT	LIFT CORD	CORD TILT	LIFT CORD	CORD TILT	LIFT CORD
<b>Standard Cordlock</b>									
8" to 10-3/8"	Center Tilt Only	C (only)	n/a	C (only)	n/a	N/A	N/A	N/A	N/A
10-1/2" to 18"	LR, RL	R (only)	L (only)	L (only)	R (only)	N/A	N/A	N/A	N/A
18-1/8" or more	LR, RL, Grouped	L or R	L (only)	L or R	R (only)	L (only)	L (only)	R (only)	R (only)
<b>Lift &amp; Lock</b>									
10-1/2" to 12-3/8"	Center Tilt Only	C (only)	n/a	C (only)	n/a	C (only)	n/a	C (only)	n/a
12-1/2" or more	L or R	L or R	n/a	L or R	n/a	L (only)	n/a	R (only)	n/a

## PRODUCT SPECIFICATIONS

FEATURES	Value	Basic	Traditional	
	1" .006 GAUGE	1" .006 GAUGE	1" .006 GAUGE	1" .008 GAUGE
# of Colors	6	31	25	29
Slat Gauge	0.006	0.006	0.006	0.008
Dust-Resistant Finish	Yes	Yes	Yes	Yes
Headrail Size	1" X 1"	1" X 1"	1" X 1-1/2"	1" X 1-1/2"
Headrail Gauge	0.024	0.024	0.024	0.024
Bottomrail - <b>Standard</b>	Lockseam	Lockseam	Lockseam	Lockseam
Bottomrail - <b>Lift &amp; Lock</b>	The cordless Lift & Lock™ operating system comes with a <b>coordinating</b> aluminum bottomrail. Please refer to the Lift & Lock Bottomrail Color listing for the coordinating rail color.			
Lightsout Feature	N/A	N/A	N/A	N/A
Bracket Style	Box	Box	Box	Box
Cord Size	1.4 mm	1.4 mm	1.4 mm	1.4 mm
Ladder Spacing	23 mm	22 mm	22 mm	22 mm
Wand	Clear, Standard	Clear, Standard	Clear, Standard	Clear, Standard
Cord Tilter	N/A	N/A	N/A	N/A
Valance Style	2 Slats in Clips	2 Slats in Clips	2 Slat Channel Valance	2 Slat Channel Valance
Headrail End Stiffener	Yes	Yes	Yes	Yes
Cord Connector	Colored	Colored	Colored	Colored
<b>OPTIONS</b>				
Cordless Lift & Lock™	Yes	Yes	Yes	Yes
2 on 1 Headrail*	Yes	Yes	Yes	Yes
Control Positions (LR, RL, Grouped)	Yes	Yes	Yes	Yes
Extension Brackets	Yes	Yes	Yes	Yes
Hold-down Brackets - <b>not available</b> with 1" Cordless Lift & Lock	Yes	Yes	Yes	Yes
Spacer Blocks	Yes	Yes	Yes	Yes
Tile Cut-out - <b>not available</b> with Cordless Lift & Lock	Yes	Yes	Yes	Yes
<b>SIZE SPECIFICATIONS</b>				
Slat width	1"	1"	1"	1"
<b>Standard Lift Cords</b>				
Minimum width (NET)	8"	8"	8"	8"
Minimum height	6"	6"	6"	6"
Maximum width of a single blind	120"	120"	120"	120"
Maximum height	126"	126"	126"	126"
Maximum width with 2 on 1 headrail	120"	120"	120"	120"
Maximum width end mount	48"	48"	48"	48"
Blind with tilter only – net width	8" to 10-3/8"	8" to 10-3/8"	8" to 10-3/8"	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"	10-1/2" to 18"	10-1/2" to 18"	10-1/2" to 18"
Blind can have controls in any position – net width	18-1/8" to 120"	18-1/8" to 120"	18-1/8" to 120"	18-1/8" to 120"
<b>Cordless Lift &amp; Lock™</b>				
Minimum width (NET)	10-1/2"	10-1/2"	10-1/2"	10-1/2"
Maximum width of a single blind	120"	120"	120"	120"
Minimum height	12"	12"	12"	12"
Maximum height	84"	84"	84"	84"
Maximum width Cordless Lift & Lock w/ 2 on 1	120"	120"	120"	120"
Maximum width end mount	N/A	N/A	N/A	N/A
Center tilt only – NET width	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"
Left or Right tilt only - NET width	12-1/2" or more	12-1/2" or more	12-1/2" or more	12-1/2" or more

\* 2 Blinds On 1 Headrail – a crating surcharge may be assessed, see General Information section for shipping related surcharges

# PRODUCT SPECIFICATIONS

FEATURES	Deluxe	Macro
	1" .008 GAUGE	2" .008 GAUGE
# of Colors	50	18
Slat Gauge	0.008	0.008
Dust Resistant Finish	Yes	Yes
Headrail Size	1-1/4" X 1-1/2"	2-1/4" X 1-1/2"
Headrail Gauge	0.024	0.024
Bottomrail - <b>Standard</b>	Lockseam	Lockseam
Bottomrail - <b>Lift &amp; Lock</b>	The cordless Lift & Lock™ operating system comes with a <b>coordinating</b> aluminum bottomrail. Please refer to the Lift & Lock Bottomrail Color listing for the coordinating rail color.	
Lightsout Feature - <b>not available</b> with Cordless Lift & Lock	Available	Available
Bracket Style	Hidden	Box
Cord Size	1.4 mm	1.4 mm
Ladder Spacing	22 mm	42 mm
Wand Tilt	Clear, Standard	Clear, Standard
Valance Style	Built-in	Channel Valance
Headrail End Stiffener	n/a	Yes
Cord Connector	Colored	Colored
<b>OPTIONS</b>		
Cordless Lift & Lock™	Yes	Yes
2 1 Headrail*	Yes	Yes
Control Positions (LR, RL, Grouped)	Yes	Yes
Cord Tilt	N/A	Yes
Extension Brackets	Yes	Yes
Hold-down Brackets - <b>not available</b> with 1" Cordless Lift & Lock	Yes	Yes
Spacer Blocks	Yes	Yes
Tile Cut-out - <b>not available</b> with Cordless Lift & Lock	Yes	Yes
<b>SIZE SPECIFICATIONS</b>		
Slat width	1"	2"
<b>Standard Lift Cords</b>		
Minimum width (NET)	8"	8"
Minimum height	6"	12"
Maximum width of a single blind	120"	120"
Maximum height	126"	126"
Maximum width with 2 on 1 headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"	10-1/2" to 18"
Blind can have controls in any position – net width	18-1/8" to 120"	18-1/8" to 120"
<b>Cordless Lift &amp; Lock™</b>		
Minimum width (NET)	10-1/2"	10-1/2"
Minimum height	12"	12"
Maximum width of a single blind	120"	120"
Maximum height	84"	84"
Maximum width 2 on 1 headrail	120"	120"
Center tilt only – NET width	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"
Left or Right tilt only - NET width	12-1/2" or more	12-1/2" or more

- 2 Blinds On 1 Headrail – a crating surcharge may be assessed, see General Information section for shipping related surcharges

# CORDLESS LIFT & LOCK™ BOTTOMRAIL COLOR CHART



The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below. There are **more slat** colors than available rail colors, please review the rail colors listed below when ordering. Rail colors listed can be found in the Aluminum sample deck.

**NOTE:** Due to color availability in each size rail, there are cases where the 1" and 2" slats in the same color will have different color bottomrails.

COLOR NAME						All 1" Styles		All 2" Blinds		
	Deluxe Collection	Traditional Collection		Value Collection	Basic Collection	Cordless Lift & Lock Bottomrail		Macro Collection	Cordless Lift & Lock Bottomrail	
	1" .008 GAUGE	1" .006 GAUGE	1" .008 GAUGE	1" .006 GAUGE	1" .006 GAUGE	Color	Color #	2" .008 GAUGE	Color	Color #
Alabaster	D8002	T6002	T8002	V6002	B6002	Alabaster	002	M2002	Alabaster	002
Antique	D8973	T6973	T8973		B6973	Alabaster	002	M2973	Antique	973
Ash	D8913					Mercury	276			
Beige	D8186	T6186	T8186		B6186	Alabaster	002	M2186	Alabaster	002
Biscuit	D8315					Alabaster	002			
Bisque	D8269	T6269	T8269		B6269	Plaster	127	M2269	Antique	973
Black	D8048	T6048	T8048		B6048	Black	048	M2048	Black	048
Black Perforated	D8048P		T8048P			Black	048			
Bright Aluminum	D8190	T6190	T8190		B6190	Brushed Aluminum	065	M2190	Brushed Aluminum	065
Brushed Aluminum	D8065	T6065	T8065	V6065	B6065	Brushed Aluminum	065			
Brushed Aluminum Perforated	D8065P		T8065P			Brushed Aluminum	065			
Brushed Nickel Texture	D8262		T8262			Brushed Aluminum	065			
Canvas	D8830	T6830	T8830		B6830	Alabaster	002	M2830	Alabaster	002
Chalk White	D8885	T6885	T8885		B6885	Pure White	125	M2885	Snow Gloss	110
Char Brown	D8064	T6064	T8064	V6064	B6064	Char Brown	064	M2064	Char Brown	064
Char Brown Matte	D8254					Char Brown	064			
Clay	D8180	T6180	T8180		B6180	Graystone	748			
Cobblestone	D8318	T6318	T8318		B6318	Graystone	748			
Eggshell	D8173				B6173	Alabaster	002	M2173	Alabaster	002
Evening Snow	D8385					Plaster	127			
Fawn	D8205	T6205	T8205		B6205	Alabaster	002	M2205	Alabaster	002
Forest	D8413	T6413	T8413		B6413	Alabaster	002			
Graphite	D8983					Black	048			
Graystone	D8748	T6748	T8748		B6748	Graystone	748	M2748	Brushed Aluminum	065
Kaolin Pearl	D8711	T6711	T8711		B6711	Plaster	127			
Light Caffé	D8914					Mercury	276			
Linen	D8270				B6270	Plaster	127	M2270	Antique	973
Mercury	D8276				B6276	Mercury	276			
Opal	D8001	T6001	T8001		B6001	Pure White	125			
Parchment	D8402					Alabaster	002			
Pearl	D8974	T6974	T8974		B6974	Plaster	127	M2974	Pearl	974
Pewter Gray	D8405				B6405	Mercury	276			
Plaster	D8127	T6127	T8127	V6127	B6127	Plaster	127			
Pumice	D8203					Alabaster	002			
Pure White	D8125	T6125	T8125	V6125	B6125	Pure White	125	M2125	Snow Gloss	110
Quartz	D8018	T6018	T8018		B6018	Snow Gloss	110	M2018	Snow Gloss	110
River Log	D8917					Char Brown	064			
Seashell	D8795	T6795	T8795		B6795	Pure White	125			
Sierra	D8820	T6820	T8820		B6820	Black	048			
Snow Gloss	D8110	T6110	T8110	V6110	B6110	Snow Gloss	110	M2110	Snow Gloss	110
Snow Gloss Perforated	D8110P		T8110P			Snow Gloss	110			
Sprig	D8919					Alabaster	002			
Talc	D8981				B6981	Pure White	125			
Tusk	D8268	T6268	T8268		B6268	Plaster	127			
Vanilla	D8350	T6350	T8350		B6350	Alabaster	002	M2350	Alabaster	002

**NOTE:** Bottomrail colors are pre-selected. Hardware color override is not available.